FLORIDA DESIGN

AD REQUIREMENTS



AD SIZES	TRIM	BLEED
Spread:	16" x 10.875"	16.25" x 11.125"
Full Page	8" x 10.875"	8.25" x 11.125"
2/3 Vertical	4.5" × 9.875"	N/A
1/2 Island	5" x 8.125"	N/A
1/2 Vertcial	3.375" x 9.875"	N/A
1/2 Horizontal	7" × 4.875"	N/A
1/3 Square	4.625" x 4.875"	N/A
1/3 Vertical	2.25" x 9.875"	N/A
1/4 Vertcial	3.375" x 4.875"	N/A

Material Format: PDF/X1-A. No color proofs are required. **Safety:** .25" away from trim edges (.375" from bleed)

Gutter Safety: .5" on each side (1" in total)

Images: Should be 300 DPI and converted to CMYK. No RGB images. We can convert client supplied images,

however, conversion may result in color variation.

Contract Proof: Clients may request to have a contract color proof sent to them. A \$25 charge will apply.

DEADLINES

Space Close: November 1, 2019
Materials Due: November 21, 2019
Publication Date: January 2020

SPRING

Space Close: February 11, 2020 Materials Due: March 3, 2020 Publication Date: April 2020

SUMMER

Space Close: May 6, 2020 Materials Due: May 28, 2020 Publication Date: July 2020

FALL

Space Close: August 5, 2020 Materials Due: August 26, 2020 Publication Date: October 2020

Full Page



1/2 Page, Horizontal	
1/2 Page, Horizontal	

, Vertical	1/4 Page, Vert.
1/2 Page,	1/4 Page, Vert.



1/3 Page, Square
1/3 Page, Square



AD REQUIREMENTS



AD SIZES	TRIM	BLEED	
Spread:	20" x 12"	20.25" x 12.25"	
Full Page	10" x 12"	10.25" x 12.25"	
2/3 Vertical	5.9375" x 11"	N/A	
1/2 Island	6.375" x 9.25"	N/A	
1/2 Vertcial	4.375" x 11"	N/A	
1/2 Horizontal	9" x 5.375"	N/A	

Material Format: PDF/X1-A. No color proofs are required. **Safety:** .25" away from trim edges (.375" from bleed)


Gutter Safety: .5" on each side (1" in total)

Images: Should be 300 DPI and converted to CMYK. No RGB images. We can convert client supplied images,

however, conversion may result in color variation.

Contract Proof: Clients may request to have a contract color proof sent to them. A \$25 charge will apply.

Full Page



1/2 Page Horizontal 1/2 Page Horizontal 1/2 Page, Vertical

1/2 Page Island

QUESTIONS

Ad Material Specs/Upload, Deadline Extensions

Johanna Perez 561.472.2210 jperez@floridadesign.com

Reprints, Paper, Inserts & Plant Operations

Brian Beach 561.472.2203 bbeach@palmbeachmedia.com

Cover Photography by Venjhamin Reyes, Miami, FL

MIAMI EDITION

FLORIDA DESIGN

Ad Requirements

Material Format: PDF/X1-A. No color proofs are required.

Safety: .25" away from trim edges (.375" from bleed)

Gutter Safety: .5" on each side (1" in total)

Images: Should be 300 DPI and converted to CMYK. No RGB images. We can convert client supplied images, however, conversion may result in color variation.

Contract Proof: Clients may request to have a contract color proof sent to them.

A \$25 charge will apply.

ad sizes	final trim	live area (type)	bleed
2 page spread	20" x 12"	19" x 11"	20.25" x 12.25"
full page	10" x 12"	9" x 11"	10.25" x 12.25"
1/2 page horizontal	-	9" x 5.375"	-
1/2 page vertical	-	4.375" x 11"	-
1/2 page island	-	6.375" x 9.25"	-
1/3 page horizontal	-	5.9375" x 5.375"	-
1/3 page vertical	-	2.8125" x 11"	-
2/3 page vertical	-	5.9375" x 11"	-
1/4 page vertical	-	4.375" x 5.375"	-

^{*}Limited Availability

FULL PAGES ONLY: Please keep type 1/2" away from edges of page.

For a full page bleed, provide document page size as 10"x12" and add 1/8" bleed on all sides. 2 PAGE SPREAD: Please submit as a 2 page spread and make sure no type falls in the 1" gutter.

Ad Delivery

Please upload via our client center. An upload link will be emailed to you.

Ad Material Specs/Upload, Deadline Extensions

Johanna Perez | 561.472.2210 | jperez@floridadesign.com

Reprints, Paper, Inserts & Plant Operations

Brian Beach | 561.472.2203 | bbeach@palmbeachmedia.com



digital requirements